

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|----------------------------------------------------------------|-------------------------------------------------------------------|------------------|---------|------------------|
| L1 | 20 | LED and chromaticity near constant | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 11:19 |
| L2 | 1223 | (345/81-83).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 08:47 |
| L3 | 6 | LED and chroma near constant | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 08:31 |
| L4 | 16 | LED and chromaticity near3 constant not 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:34 |
| L6 | 9 | LED and chromaticity near5 constant not 1 not 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 08:38 |
| L7 | 6 | LED and chromaticity near maintain not 1 not 4 not 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 08:42 |
| L8 | 1 | LED and chromaticity near2 maintain not 1 not 4 not 6 not 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 08:42 |
| L9 | 62 | 2 and LED and mix\$4 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 08:52 |

EAST Search History

| | | | | | | |
|-----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|------------------|
| L10 | 32 | 2 and LED and mix\$4 and temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:08 |
| L12 | 35 | LED and mix\$4 and junction near temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) and white adj light | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:38 |
| L13 | 9 | LED and chromaticity near3 fixed | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:19 |
| L14 | 117 | LED and (fixed constant) near3 lumen | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:19 |
| L15 | 48 | LED and (fixed constant) near3 lumen and white | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:19 |
| L16 | 9 | ("5724062" "6305818" "6394626" "6507159" "6510995").PN. OR ("6630801").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/03/28 09:25 |
| L17 | 8 | ("20010032985" "4588883" "4985205" "5489771" "6107620" "6239716" "6392214" "6630801").PN. OR ("6998594").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/03/28 09:35 |
| L18 | 176 | LED and mix\$4 and constant near3 temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) and white adj light not 9 not 10 not 12 not 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 09:42 |

EAST Search History

| | | | | | | |
|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| L19 | 176 | LED and mix\$4 and constant near3 temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) and white adj light and (mix\$4 diffus\$4) not 9 not 10 not 12 not 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 11:31 |
| L21 | 3963 | (light adj emitting adj diode LED) and control\$4 near3 temperature and (maintain constant) near3 temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) and (mix\$4 diffus\$4) not 9 not 10 not 12 not 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:34 |
| L22 | 15 | light adj emitting adj diode and chromaticity near constant | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:33 |
| L23 | 1 | light adj emitting adj diode and chromaticity near constant not 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:33 |
| L24 | 16 | light adj emitting adj diode and chromaticity near3 constant not 1 not 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:34 |
| L25 | 308 | (light adj emitting adj diode LED) and control\$4 near3 temperature and (maintain constant) near3 temperature and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode) and (mix\$4 diffus\$4) and (backlight back adj light white adj light) not 9 not 10 not 12 not 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 10:35 |
| L26 | 425 | (315/309).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 11:50 |

EAST Search History

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| L27 | 63 | (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode photosensor) and 26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 11:20 |
| L29 | 216 | LED and (diffus\$ mix\$4) and (fan peltier heater) and (sensor detector light adj recieving light adj detect\$4 light adj receiv\$4 photodiode photo adj diode photosensor) and (white adj light back adj light backlight) and (maintain constant) near4 temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 11:34 |
| L30 | 21 | ("3925690" "3943694" "4026102" "4090189" "4160934" "4513242" "4864197" "4959642" "5359691" "5390276" "5422756" "5528720" "5828488" "6069448" "6069449" "6107985" "6124971" "6147723" "6150771" "6445444").PN. OR ("6717559").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/03/28 11:42 |
| L31 | 3387 | (315/149-159).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 12:40 |
| L32 | 282 | 31 and (temperature adj control\$3 peltier fan heater) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 12:49 |
| L33 | 2 | ("5739914").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 12:52 |
| L34 | 1264 | (345/207,690).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 12:53 |

EAST Search History

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| L35 | 93 | 34 and (temperature near control\$4 heater fan cool\$3 heating peltier temperature near (maintain constant)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/28 13:18 |
| L36 | 1583 | (250/205).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 13:04 |
| L37 | 19 | ((("20040066363") or ("6960759") or ("6832849") or ("6467911")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/28 13:18 |
| L38 | 6 | ("5438579" "5864145" "6027256" "6055815" "6356365" "6582100").PN. OR ("6960759"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/03/28 13:24 |
| L39 | 12 | ("4061911" "5135301" "5658062" "5860720" "6082864").PN. OR ("6467911"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/03/28 13:24 |